

|    | Type | Hits   | Search Text   | DBs   |
|----|------|--------|---|---|
| 1  | BRS  | 6946   | 362/103-<br>106,84,184,190,191,800,806,276,234,237,<br>252.ccls.  | US-PGPUB; USPAT; EPO;<br>JPO; DERWENT;<br>IBM_TDB |
| 2  | BRS  | 597469 | hat or headwear or cap or helmet or (hard<br>near head)   | US-PGPUB; USPAT; EPO;<br>JPO; DERWENT;<br>IBM_TDB |
| 3  | BRS  | 1223   | 362/103-<br>106,84,184,190,191,800,806,276,234,237,<br>252.ccls. and (hat or headwear or cap or<br>helmet or (hard near head))  | US-PGPUB; USPAT; EPO;<br>JPO; DERWENT;<br>IBM_TDB |
| 4  | BRS  | 70     | 362/103-<br>106,84,184,190,191,800,806,276,234,237,<br>252.ccls. and (hat or headwear or cap or<br>helmet or (hard near head)) and visor  | US-PGPUB; USPAT; EPO;<br>JPO; DERWENT;<br>IBM_TDB |
| 5  | BRS  | 3637   | (hat or headwear or cap or helmet or<br>(hard near head)) and bill  | US-PGPUB; USPAT; EPO;<br>JPO; DERWENT;<br>IBM_TDB |
| 6  | BRS  | 5059   | (hat or headwear or cap or helmet or<br>(hard near head)) and visor   | US-PGPUB; USPAT; EPO;<br>JPO; DERWENT;<br>IBM_TDB |
| 7  | BRS  | 8299   | (( (hat or headwear or cap or helmet or<br>(hard near head)) and bill) or ((hat or<br>headwear or cap or helmet or (hard near<br>head)) and visor)  | US-PGPUB; USPAT; EPO;<br>JPO; DERWENT;<br>IBM_TDB |
| 8  | BRS  | 3053   | (( (hat or headwear or cap or helmet or<br>(hard near head)) and bill) or ((hat or<br>headwear or cap or helmet or (hard near<br>head)) and visor)) and (light or (light near<br>source))   | US-PGPUB; USPAT; EPO;<br>JPO; DERWENT;<br>IBM_TDB |
| 9  | BRS  | 893    | (( (hat or headwear or cap or helmet or<br>(hard near head)) and bill) or ((hat or<br>headwear or cap or helmet or (hard near<br>head)) and visor)) and (illumin\$6)  | US-PGPUB; USPAT; EPO;<br>JPO; DERWENT;<br>IBM_TDB |
| 10 | BRS  | 3099   | (( (hat or headwear or cap or helmet or<br>(hard near head)) and bill) or ((hat or<br>headwear or cap or helmet or (hard near<br>head)) and visor)) and (light or (light near<br>source))) or ((( (hat or headwear or cap or<br>helmet or (hard near head)) and bill) or<br>((hat or headwear or cap or helmet or<br>(hard near head)) and visor)) and<br>(illumin\$6)) | US-PGPUB; USPAT; EPO;<br>JPO; DERWENT;<br>IBM_TDB |

|    | Type | Hits | Search Text   | DBs   |
|----|------|------|---|---|
| 11 | BRS  | 28   | ((((( hat or headwear or cap or helmet or (hard near head)) and bill) or ((hat or headwear or cap or helmet or (hard near head)) and visor)) and (light or (light near source))) or ((( hat or headwear or cap or helmet or (hard near head)) and bill) or ((hat or headwear or cap or helmet or (hard near head)) and visor)) and (illumin\$6))) and (black near light)  | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 12 | BRS  | 31   | 362/103-106,84,184,190,191,800,806,276,234,237,252.ccls. and (hat or headwear or cap or helmet or (hard near head)) and bill  | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 13 | BRS  | 40   | ("1255265"   "2638532"   "2904670"   "3032647"   "3040881"   "3060308"   "3123208"   "3184058"   "3350552"   "4005776"   "4283127"   "4669610"   "4959760"   "D316932"   "5060814"   "5218385"   "5230558"   "5249675"   "D349123"   "5331357"   "5404593"   "5423419"   "5485358"   "5510961"   "5541767"   "5667292"   "5722762"   "5730290"   "5741060"   "5836673"   "D407187"   "5946071"   "5997165"   "6012827"   "6032293"   "D428431"   "6168286"   "6206543"   "6345716"   "6382407").PN. | USPAT                                       |
| 14 | BRS  | 0    | "6659618".URPN.   | USPAT                                       |
| 15 | BRS  | 0    | "6659618".URPN.   | USPAT                                       |
| 16 | BRS  | 55   | 362/103-106.ccls. and 362/84.ccls.  | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 17 | BRS  | 2747 | photoluminescent  | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 18 | BRS  | 150  | photoluminescent and chemiluminescent   | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 19 | BRS  | 20   | photoluminescent and chemiluminescent and electroluminescent  | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 20 | BRS  | 6320 | (hat or headwear or cap or helmet or (hard near head)) and (bill or brim)   | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |

|    | Type | Hits  | Search Text   | DBs   |
|----|------|-------|---|---|
| 21 | BRS  | 10655 | (hat or headwear or cap or helmet or (hard near head)) and (bill or brim or visor)  | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 22 | BRS  | 6208  | (hat or headwear or cap or helmet or (hard near head)) with (bill or brim or visor)   | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 23 | BRS  | 1767  | ((hat or headwear or cap or helmet or (hard near head)) with (bill or brim or visor)) and light   | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 24 | BRS  | 24    | ((hat or headwear or cap or helmet or (hard near head)) with (bill or brim or visor)) and (black near4 light)   | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 25 | BRS  | 2     | ((hat or headwear or cap or helmet or (hard near head)) with (bill or brim or visor)) and chemiluminescent  | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 26 | BRS  | 0     | ((hat or headwear or cap or helmet or (hard near head)) with (bill or brim or visor)) and 362/34.ccls.  | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 27 | BRS  | 7143  | 362/34,103-106,84,184,190,191,800,806,276,234,237,252.ccls.   | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 28 | BRS  | 1267  | (hat or headwear or cap or helmet or (hard near head)) and 362/34,103-106,84,184,190,191,800,806,276,234,237,252.ccls.  | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 29 | BRS  | 68    | (hat or headwear or cap or helmet or (hard near head)) and 362/34.ccls.   | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 30 | BRS  | 11    | ((hat or headwear or cap or helmet or (hard near head)) and 362/34,103-106,84,184,190,191,800,806,276,234,237,252.ccls.) and (black adj light)                    | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 31 | BRS  | 105   | ((hat or headwear or cap or helmet or (hard near head)) and 362/34,103-106,84,184,190,191,800,806,276,234,237,252.ccls.) and ((black adj light) or Phosphor\$5)   | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 32 | BRS  | 0     | ((hat or headwear or cap or helmet or (hard near head)) and 362/34,103-106,84,184,190,191,800,806,276,234,237,252.ccls.) and ((black adj light) with Phosphor\$5) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |

|    | Type | Hits   | Search Text   | DBs   |
|----|------|--------|---|---|
| 33 | BRS  | 5      | ((hat or headwear or cap or helmet or (hard near head)) and 362/34,103-106,84,184,190,191,800,806,276,234,237, 252.ccls.) and ((black adj light) with fluoresc\$5)                  | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 34 | BRS  | 228    | ((hat or headwear or cap or helmet or (hard near head)) and 362/34,103-106,84,184,190,191,800,806,276,234,237, 252.ccls.) and (phosphorescent or fluorescent)                       | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 35 | BRS  | 8      | ((hat or headwear or cap or helmet or (hard near head)) and 362/34,103-106,84,184,190,191,800,806,276,234,237, 252.ccls.) and (phosphorescent or fluorescent) and (black adj light) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 36 | BRS  | 227    | ((hat or headwear or cap or helmet or (hard near head)) and 362/34,103-106,84,184,190,191,800,806,276,234,237, 252.ccls.) and (phosphorescent or fluorescent) and light             | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 37 | BRS  | 5171   | (black adj light)   | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 38 | BRS  | 45     | 362/34,103-106,84,184,190,191,800,806,276,234,237, 252.ccls. and ( (black adj light) )  | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 39 | BRS  | 439    | (hat or headwear or cap or helmet or (hard near head)) and ( (black adj light) )  | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 40 | BRS  | 12     | ( (hat or headwear or cap or helmet or (hard near head)) and (bill or brim)) and ( (black adj light) )  | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 41 | BRS  | 135129 | light near emit\$5 near diod\$4   | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 42 | BRS  | 460621 | (light near emit\$5 near diod\$4) or "LED"  | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 43 | BRS  | 2187   | ((light near emit\$5 near diod\$4) or "LED") with black   | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 44 | BRS  | 126    | ((light near emit\$5 near diod\$4) or "LED") with (black near light)  | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |

|    | Type | Hits  | Search Text  | DBs  |
|----|------|-------|--|--|
| 45 | BRS  | 0     | ((light near emit\$5 near diod\$4) or "LED") with (black near light)) and ( (hat or headwear or cap or helmet or (hard near head)) and (bill or brim))                                     | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB        |
| 46 | BRS  | 5     | ((light near emit\$5 near diod\$4) or "LED") with (black near light)) and (hat or headwear or cap or helmet or (hard near head))   | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB        |
| 47 | BRS  | 1     | "386509".ap.   | US-PGPUB   |
| 48 | BRS  | 26676 | "362"/<br>"30,551,554,556,555"". ""558,570".ccis.  | US-PGPUB   |
| 49 | BRS  | 6764  | ("362"/<br>"30,551,554,556,555"". ""558,570".ccis.) and (hat or headwear or cap or helmet or (hard near head))   | US-PGPUB   |
| 50 | BRS  | 112   | ("362"/<br>"30,551,554,556,555"". ""558,570".ccis.) and ( (hat or headwear or cap or helmet or (hard near head)) and (bill or brim))   | US-PGPUB   |
| 51 | BRS  | 29123 | (light near rod) or (light near pipe) or (light near guide) or (fibre near optic) or (fiber near optic)  | US-PGPUB   |
| 52 | BRS  | 3493  | ((light near rod) or (light near pipe) or (light near guide) or (fibre near optic) or (fiber near optic)) and (hat or headwear or cap or helmet or (hard near head))                       | US-PGPUB   |
| 53 | BRS  | 94    | ((light near rod) or (light near pipe) or (light near guide) or (fibre near optic) or (fiber near optic)) and ( (hat or headwear or cap or helmet or (hard near head)) and (bill or brim)) | US-PGPUB   |
| 54 | IS&R | 1     | ("5570946").PN.  | USPAT; USOCR                                       |
| 55 | IS&R | 2     | ("6733150").PN.  | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 56 | BRS  | 8     | ("1187672"   "5357409"   "5485358"   "5510961"   "5667292"   "5758947"   "6044495"   "6390640").PN.  | USPAT  |
| 57 | IS&R | 1     | ("5510961").PN.  | USPAT; USOCR                                       |
| 58 | BRS  | 7     | ("D266712"   "D318338"   "3749902"   "4231079"   "4525878"   "4901211"   "4999747").PN.  | USPAT  |
| 59 | IS&R | 2     | ("5809678").PN.  | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |

|    | Type | Hits   | Search Text   | DBs   |
|----|------|--------|---|---|
| 60 | BRS  | 3      | ("2624141"   "4814949"   "5557869").PN.   | USPAT                                       |
| 61 | BRS  | 3      | "5809678".URPN.   | USPAT                                       |
| 62 | BRS  | 597470 | (hat or headwear or cap or helmet or (hard near head))  | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 63 | BRS  | 820    | ((hat or headwear or cap or helmet or (hard near head))) with (bill or brill)   | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 64 | BRS  | 0      | ((hat or headwear or cap or helmet or (hard near head))) with ((bill or brill) same chemiluminescent)   | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 65 | BRS  | 1      | ((((hat or headwear or cap or helmet or (hard near head)))) with (bill or brill)) and chemiluminescent  | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 66 | BRS  | 4586   | ((hat or headwear or cap or helmet or (hard near head))) with (bill or brill or visor)  | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 67 | BRS  | 2      | ((((hat or headwear or cap or helmet or (hard near head))) with (bill or brill or visor)) and chemiluminescent  | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 68 | BRS  | 2985   | (headwear or cap) and chemiluminescent  | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 69 | BRS  | 42     | (headwear or cap) with chemiluminescent   | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 70 | IS&R | 1      | ("5921674").PN.   | USPAT; USOCR                                |
| 71 | BRS  | 25     | ("4231079"   "4319308"   "4559586"   "4570206"   "4760373"   "4769629"   "4875144"   "4945458"   "5040099"   "5111366"   "5184253"   "5207500"   "5329637"   "5357361"   "5357409"   "5404593"   "5416675"   "5485358"   "5510961"   "5544027"   "5559680"   "5570946"   "5680718"   "5704707"   "5722192").PN. | USPAT                                       |
| 72 | BRS  | 7      | "5921674".URPN.   | USPAT                                       |
| 73 | BRS  | 3493   | ((light near rod) or (light near pipe) or (light near guide) or (fibre near optic) or (fiber near optic)) and (hat or headwear or cap or helmet or (hard near head))  | US-PGPUB                                    |

|    | Type | Hits  | Search Text  | DBs   |
|----|------|-------|--|---|
| 74 | BRS  | 2989  | ((light near rod) or (light near pipe) or (light near guide) or (fibre near optic) or (fiber near optic)) and (hat or headwear or cap or helmet or (hard near head)) ) and light | US-PGPUB                                    |
| 75 | BRS  | 9     | ((light near rod) or (light near pipe) or (light near guide) or (fibre near optic) or (fiber near optic)) and ((cap or headwear or hat) with (Bill or brill))                    | US-PGPUB                                    |
| 76 | IS&R | 1     | ("6113244").PN.  | USPAT; USOCR                                |
| 77 | BRS  | 13    | ("4186429"   "4231079"   "4761720"   "4891736"   "4998186"   "5327588"   "5357409"   "5416675"   "5508900"   "5544027"   "5559680"   "5588736"   "5758947").PN.                  | USPAT                                       |
| 78 | BRS  | 2     | ("4521831"   "5283911").PN.  | USPAT                                       |
| 79 | BRS  | 11    | "5588736".URPN.  | USPAT                                       |
| 80 | BRS  | 13    | ("4186429"   "5111366"   "5128844"   "5147129"   "5327587"   "5404593"   "5426792"   "5559680"   "5570946"   "5588736"   "5608919"   "5743621"   "5758947").PN.                  | USPAT                                       |
| 81 | BRS  | 2     | "5931559".URPN.  | USPAT                                       |
| 82 | BRS  | 11    | "5588736".URPN.  | USPAT                                       |
| 83 | IS&R | 1     | ("5323492").PN.  | USPAT; USOCR                                |
| 84 | BRS  | 2     | ("4061910"   "5177812").PN.  | USPAT                                       |
| 85 | BRS  | 10378 | (light near transmi\$6 near tub\$5) or (light near pipe)   | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 86 | BRS  | 2381  | ((light near transmi\$6 near tub\$5) or (light near pipe) ) with (light near source)   | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 87 | BRS  | 535   | ((light near transmi\$6 near tub\$5) or (light near pipe) ) with flexible  | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 88 | BRS  | 75    | ((light near transmi\$6 near tub\$5) or (light near pipe) ) with flexible) with (light near source)  | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 89 | BRS  | 0     | "1356047".URPN.  | USPAT                                       |
| 90 | BRS  | 690   | flexible with (light near (tube or pipe))  | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 91 | BRS  | 390   | flexible with (light near (tube or pipe)) and (light near source)  | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |

|     | Type | Hits  | Search Text   | DBs   |
|-----|------|-------|---|---|
| 92  | BRS  | 70    | (flexible with (light near (tube or pipe)) and (light near source) ) and (cap or hat or headwear)                           | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 93  | BRS  | 80    | (tubular or hollow) near (optic near (fiber or fibre))  | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 94  | BRS  | 57666 | flexible near (tube or pipe)  | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 95  | BRS  | 253   | (flexible near (tube or pipe)) same (light near transmi\$6)   | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 96  | BRS  | 5661  | (flexible near (tube or pipe)) with ((light near transmi\$6) near portion or part)  | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 97  | BRS  | 284   | (flexible near (tube or pipe)) with ((light near transmi\$6) near portion or part) and (light near source)                  | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 98  | BRS  | 10    | ("1595023"   "1707473"   "2246836"   "3275815"   "3281586"   "4513692"   "4860179"   "5126922"   "5463535"   "5463536").PN. | USPAT                                       |
| 99  | BRS  | 5     | ("2642519"   "3707055"   "3964441"   "4208701"   "4369486").PN.   | USPAT                                       |
| 100 | BRS  | 19    | "4513692".URPN.   | USPAT                                       |
| 101 | BRS  | 820   | ((hat or headwear or cap or helmet or (hard near head))) with (bill or brill)   | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 102 | BRS  | 0     | (cap or hat or headwear) same ((bill or brill) with (light near (pipe or tube)))  | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 103 | BRS  | 0     | (cap or hat or headwear) and ((bill or brill) with (light near (pipe or tube)))   | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 104 | BRS  | 1     | (cap or hat or headwear) and ((bill or brill) same (light near (pipe or tube)))   | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 105 | BRS  | 5     | ((cap or hat or headwear) with (bill or brill)) and (light near (pipe or tube))   | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 106 | BRS  | 6     | ("1016730"   "1744777"   "2788439"   "4991068"   "5485358"   "5567038").PN.   | USPAT                                       |
| 107 | BRS  | 6     | "5676449".URPN.   | USPAT                                       |
| 108 | IS&R | 1     | ("6499145").PN.   | USPAT; USOCR                                |



|     | Type | Hits  | Search Text   | DBs   |
|-----|------|-------|---|---|
| 109 | BRS  | 6     | ("4211813"   "5111366"   "5177812"   "5323492"   "5570946"   "5904017").PN.   | USPAT   |
| 110 | BRS  | 1     | "6499145".URPN.   | USPAT   |
| 111 | BRS  | 461   | 2/195   | US-PGPUB; USPAT; EPO;<br>JPO; DERWENT;<br>IBM_TDB |
| 112 | BRS  | 710   | 2/195.1,195.2,209.12.ccls.  | US-PGPUB; USPAT; EPO;<br>JPO; DERWENT;<br>IBM_TDB |
| 113 | BRS  | 112   | 2/195.1,195.2,209.12.ccls. and (light\$4 or illumin\$5)   | US-PGPUB; USPAT; EPO;<br>JPO; DERWENT;<br>IBM_TDB |
| 114 | BRS  | 10146 | (hollow or tube) with (light near4 (transmit\$6 or conduct\$6))   | US-PGPUB; USPAT; EPO;<br>JPO; DERWENT;<br>IBM_TDB |
| 115 | BRS  | 6674  | (hollow or tube) with (fib\$4 near optic)   | US-PGPUB; USPAT; EPO;<br>JPO; DERWENT;<br>IBM_TDB |
| 116 | BRS  | 15957 | ((hollow or tube) with (light near4 (transmit\$6 or conduct\$6))) or ((hollow or tube) with (fib\$4 near optic))  | US-PGPUB; USPAT; EPO;<br>JPO; DERWENT;<br>IBM_TDB |
| 117 | BRS  | 788   | ((((hollow or tube) with (light near4 (transmit\$6 or conduct\$6))) or ((hollow or tube) with (fib\$4 near optic))) same (slit or (axial split)))                                       | US-PGPUB; USPAT; EPO;<br>JPO; DERWENT;<br>IBM_TDB |
| 118 | BRS  | 1473  | (((((hollow or tube) with (light near4 (transmit\$6 or conduct\$6))) or ((hollow or tube) with (fib\$4 near optic))) same ((slit or (axial or longitudinal) split)))                    | US-PGPUB; USPAT; EPO;<br>JPO; DERWENT;<br>IBM_TDB |
| 119 | BRS  | 0     | ((((((hollow or tube) with (light near4 (transmit\$6 or conduct\$6))) or ((hollow or tube) with (fib\$4 near optic))) same ((slit or (axial or longitudinal) split))) and "362"/\$ccls. | US-PGPUB; USPAT; EPO;<br>JPO; DERWENT;<br>IBM_TDB |
| 120 | BRS  | 0     | ((((((hollow or tube) with (light near4 (transmit\$6 or conduct\$6))) or ((hollow or tube) with (fib\$4 near optic))) same ((slit or (axial or longitudinal) split))) and "40"/\$ccls.  | US-PGPUB; USPAT; EPO;<br>JPO; DERWENT;<br>IBM_TDB |
| 121 | BRS  | 0     | ((((((hollow or tube) with (light near4 (transmit\$6 or conduct\$6))) or ((hollow or tube) with (fib\$4 near optic))) same ((slit or (axial or longitudinal) split))) and "385"/\$ccls. | US-PGPUB; USPAT; EPO;<br>JPO; DERWENT;<br>IBM_TDB |

|     | Type | Hits   | Search Text  | DBs   |
|-----|------|--------|--|---|
| 122 | BRS  | 1266   | (((((hollow or tube) with (light near4 (transmit\$6 or conduct\$6))) or ((hollow or tube) with (fib\$4 near optic))) same ((slit or (axial or longitudinal) split))) and (light or (light near source)))             | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 123 | BRS  | 101    | (((((hollow or tube) with (light near4 (transmit\$6 or conduct\$6))) or ((hollow or tube) with (fib\$4 near optic))) same ((slit or (axial or longitudinal) split))) and (light or (light near source))) and wrap\$7 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 124 | BRS  | 0      | "20040076387".URPN.  | USPAT                                       |
| 125 | BRS  | 370    | 385/104.ccls.  | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 126 | IS&R | 1      | ("6499145").PN.  | USPAT; USOCR                                |
| 127 | IS&R | 1      | ("6113244").PN.  | USPAT; USOCR                                |
| 128 | BRS  | 13     | ("4186429"   "4231079"   "4761720"   "4891736"   "4998186"   "5327588"   "5357409"   "5416675"   "5508900"   "5544027"   "5559680"   "5588736"   "5758947").PN.  | USPAT                                       |
| 129 | BRS  | 1      | "6113244".URPN.  | USPAT                                       |
| 130 | BRS  | 937    | (headwear or cap or hat) and ((hollow or tube) with (fib\$4 near optic))   | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 131 | BRS  | 140    | (headwear or cap or hat) same ((hollow or tube) with (fib\$4 near optic))  | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 132 | BRS  | 2      | (headwear or hat) same ((hollow or tube) with (fib\$4 near optic))   | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 133 | BRS  | 113706 | (fib\$4 near optic) or (light near pipe)   | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 134 | BRS  | 1565   | (headwear or cap or hat) same ((fib\$4 near optic) or (light near pipe))   | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 135 | BRS  | 56     | (headwear or ((cap with (bill or brill) or hat))) same ((fib\$4 near optic) or (light near pipe))  | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 136 | IS&R | 1      | ("5404593").PN.  | USPAT; USOCR                                |
| 137 | BRS  | 5      | ("3675005"   "4667274"   "5053929"   "5111366"   "5147129").PN.  | USPAT                                       |
| 138 | BRS  | 10     | "5404593".URPN.  | USPAT                                       |

|     | Type | Hits   | Search Text   | DBs   |
|-----|------|--------|---|---|
| 139 | BRS  | 16     | ("1146979"   "4525878"   "4551857"   "4901211"   "4991068"   "5088127"   "5404593"   "5510961"   "5541816"   "5680718"   "5741060"   "5743621"   "6032291"   "6032293"   "6168286"   "6244721").PN. | USPAT                                       |
| 140 | BRS  | 0      | "6721962".URPN.   | USPAT                                       |
| 141 | BRS  | 0      | "6721962".URPN.   | USPAT                                       |
| 142 | IS&R | 1      | ("6416198").PN.   | USPAT; USOCR                                |
| 143 | BRS  | 0      | 362/551,554-556.ccls. and (hat or headwear or cap or helmet or (hard near head)) and bill   | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 144 | BRS  | 0      | 362/551,554-556.ccls. and (hat or headwear or cap or helmet or (hard near hat)) and bill  | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 145 | BRS  | 0      | 362/551,554-556.ccls. and (hat or headwear or cap or helmet or (hard near hat)) and (bill or brill)   | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 146 | BRS  | 8315   | 362/103-106,84,184,190,191,800,806,276,234,237,252,551,554-556.ccls.  | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 147 | BRS  | 623625 | hat or headwear or cap or helmet or (hard near head)  | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 148 | BRS  | 319    | S147 and (bill or visor) and (black light) and (phosphorescent or fluorescent)  | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 149 | BRS  | 11284  | S147 and (bill or visor or brim)  | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 150 | BRS  | 4204   | S149 and (black light)  | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 151 | BRS  | 355    | S150 and (phosphorescent or fluorescent)  | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 152 | BRS  | 355    | S151 and @ad<ad2030625  | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 153 | BRS  | 295    | S151 and @ad<"20030625"   | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 154 | BRS  | 28     | S149 and (black adj light)  | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |

|     | Type | Hits   | Search Text  | DBs   |
|-----|------|--------|--|---|
| 155 | BRS  | 40     | S149 and (black near light)  | US-PGPUB; USPAT; EPO;<br>JPO; DERWENT;<br>IBM_TDB |
| 156 | BRS  | 40     | S149 and (black light)   | US-PGPUB; USPAT; EPO;<br>JPO; DERWENT;<br>IBM_TDB |
| 157 | BRS  | 1605   | S149 and (fibre or fiber or (fiber optic\$4) or (light guide))                     | US-PGPUB; USPAT; EPO;<br>JPO; DERWENT;<br>IBM_TDB |
| 158 | BRS  | 1057   | S149 and (fibre or fiber or (fiber optic\$4) or (light guide)) and (light or lamp) | US-PGPUB; USPAT; EPO;<br>JPO; DERWENT;<br>IBM_TDB |
| 159 | BRS  | 902    | S158 and @ad<"20030625"  | US-PGPUB; USPAT; EPO;<br>JPO; DERWENT;<br>IBM_TDB |
| 160 | BRS  | 416492 | (fibre or fiber or (fiber optic\$4) or (light guide)) and (light or lamp)          | US-PGPUB; USPAT; EPO;<br>JPO; DERWENT;<br>IBM_TDB |
| 161 | BRS  | 1057   | S149 and S160  | US-PGPUB; USPAT; EPO;<br>JPO; DERWENT;<br>IBM_TDB |
| 162 | BRS  | 213562 | (fibre or fiber or (fiber optic\$4) or (light guide)) with (light or lamp)         | US-PGPUB; USPAT; EPO;<br>JPO; DERWENT;<br>IBM_TDB |
| 163 | BRS  | 316    | S149 and S162  | US-PGPUB; USPAT; EPO;<br>JPO; DERWENT;<br>IBM_TDB |
| 164 | BRS  | 278    | S163 and @ad<"20030625"  | US-PGPUB; USPAT; EPO;<br>JPO; DERWENT;<br>IBM_TDB |
| 165 | BRS  | 747    | 250/461.1.ccls.  | US-PGPUB; USPAT; EPO;<br>JPO; DERWENT;<br>IBM_TDB |
| 166 | BRS  | 812    | S165 or S166   | US-PGPUB; USPAT; EPO;<br>JPO; DERWENT;<br>IBM_TDB |
| 167 | BRS  | 75     | 40/543.ccls.   | US-PGPUB; USPAT; EPO;<br>JPO; DERWENT;<br>IBM_TDB |
| 168 | BRS  | 0      | S165 and S149  | US-PGPUB; USPAT; EPO;<br>JPO; DERWENT;<br>IBM_TDB |
| 169 | BRS  | 37     | S165 and S147  | US-PGPUB; USPAT; EPO;<br>JPO; DERWENT;<br>IBM_TDB |